ELSEVIER

Neuroscience Letters 303 (2001) 202–205

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 303

Adrian, G.S., see Sanchez, D.J., 181
Aftanas, L.I., Varlamov, A.A., Pavlov, S.V., Makhnev, V.P., Reva, N.V., Affective picture processing: event-related synchronization within individually defined human theta band is modulated by valence dimension., 115
Agid, Y., see Bensaid, M., 25
Aguilar, R., see Sanchez, D.J., 181
Alberghina, M., see Lupo, G., 185
Altairac, S., Chaudun, E., Courtois, Y., Torriglia, A., Elastase is not required for L-DNase II activation during apoptosis in developing chicken neural retina, 41
Ambrogini, P., see Cuppini, R., 198
Anfuso, C.D., see Lupo, G., 185
Arias, B., Collier, D.A., Gastó, C., Pintor, L., Gutiérrez, B., Vallès, V., Fañanás, L., Genetic variation in the 5-HT_{5A} receptor gene in patients with bipolar disorder and major depression, 111
Armstrong, L., see Sanchez, D.J., 181
Assero, G., see Lupo, G., 185

Baghai, T.C., see Minov, C., 119
Ballard, C.G., see Singleton, A.B., 33
Bauer, J.A., see Pitre, D.A., 67
Bensaid, M., Faucheux, B.A., Hirsch, E., Agid, Y., Soubrié, P., Oury-Donat, F., Expression of tachykinin NK2 receptor mRNA in human brain, 25
Berger, S.Y., see Lee, H.J., 123
Blin, O., see Guillermain, Y., 29
Boer, P., Brosh, S., Wasserman, L., Hammel, I., Zoref-Shani, E., Sperling, O., Decelerated rate of dendrite outgrowth from dopaminergic neurons in primary cultures from brains of hypoxanthine phosphoribosyltransferase-deficient knockout mice, 45
Bom, I., see Fekkes, D., 145
Bondy, B., see Minov, C., 119
Bouisset, S., see Le Bozec, S., 72
Boyadjian, A., see Vuillerme, N., 83
Bridges, L.R., see Shukla, C., 193
Brosh, S., see Boer, P., 45
Brunelli, G.A., see Perani, D., 62
Buccellati, C., see Govoni, S., 91

Cairns, N., see Engidaworka, E., 79
Cecchini, T., see Cuppini, R., 198
Chardenon, A., see Temprado, J.J., 127
Chaudun, E., see Altairac, S., 41
Chesler, M., see MacGregor, D.G., 141
Ciaroni, S., see Cuppini, R., 198
Collier, D.A., see Arias, B., 111
Conway, B.A., see Knikou, M., 107
Costa-Cruz, R.R.G., Guedes, R.C.A., Cortical spreading depression during streptozotocin-induced hyperglycaemia in nutritionally normal and early-malnourished rats, 177
Courtois, Y., see Altairac, S., 41
Cui, L., see Zhang, Y., 157
Cui, X.-F., see Yoshida, H., 132
Cuppini, R., Ciaroni, S., Cecchini, T., Ambrogini, P., Ferri, P., Del Grande, P., Papa, S., α-Tocopherol controls cell proliferation in the adult rat dentate gyrus, 198

Daniele, A., see Masullo, C., 87
Danion, F., see Vuillerme, N., 83
de Jong, H.A.A., see Wubbels, R.J., 5
Del Grande, P., see Cuppini, R., 198
Desaki, J., see Wen, T.-C., 153
Deutch, A.Y., see Fadel, J., 17
Dobner, P.R., see Fadel, J., 17
Dong, W., Teraoka, H., Kondo, S., Hiraga, T., 2, 3, 7, 8-tetrachlorodibenzo-*p*-dioxin induces apoptosis in the dorsal midbrain of zebrafish embryos by activation of arylhydrocarbon receptor, 169

Edwardson, J.A., see Singleton, A.B., 33
Engidaworka, E., Gulesserian, T., Seidl, R., Cairns, N., Lubec, G., Expression of apoptosis related proteins in brains of patients with Alzheimer's disease, 79

Fadel, J., Dobner, P.R., Deutch, A.Y., The neurotensin antagonist SR 48692 attenuates haloperidol-induced striatal Fos expression in the rat, 17
Fañanás, L., see Arias, B., 111
Faucheux, B.A., see Bensaid, M., 25
Favalli, L., see Govoni, S., 91
Fazio, F., see Perani, D., 62
Fazio, V.M., see Masullo, C., 87
Fekkes, D., Tuiten, A., Bom, I., Pepplinkhuizen, L., Tryptophan: a precursor for the endogenous synthesis of norharman in man, 145
Ferri, P., see Cuppini, R., 198
Filippini, V., see Masullo, C., 87
Folco, G., see Govoni, S., 91
Fragassi, N., see Masullo, C., 87
Fujimoto, K., see Yoshida, H., 132

Gainotti, G., see Masullo, C., 87
Gastó, C., see Arias, B., 111
Gibson, A.M., see Singleton, A.B., 33
Govoni, S., Masoero, E., Favalli, L., Rozza, A., Scelsi, R., Viappiani, S., Buccellati, C., Sala, A., Folco, G., The Cycloxygenase-2 inhibitor SC58236 is neuroprotective in an in vivo model of focal ischemia in the rat, 91

PII: S0304-3940(01)01814-6

ELSEVIER

Neuroscience Letters 303 (2001) 202–205

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 303

Adrian, G.S., see Sanchez, D.J., 181
Aftanas, L.I., Varlamov, A.A., Pavlov, S.V., Makhnev, V.P., Reva, N.V., Affective picture processing: event-related synchronization within individually defined human theta band is modulated by valence dimension., 115
Agid, Y., see Bensaid, M., 25
Aguilar, R., see Sanchez, D.J., 181
Alberghina, M., see Lupo, G., 185
Altairac, S., Chaudun, E., Courtois, Y., Torriglia, A., Elastase is not required for L-DNase II activation during apoptosis in developing chicken neural retina, 41
Ambrogini, P., see Cuppini, R., 198
Anfuso, C.D., see Lupo, G., 185
Arias, B., Collier, D.A., Gastó, C., Pintor, L., Gutiérrez, B., Vallès, V., Fañanás, L., Genetic variation in the 5-HT_{5A} receptor gene in patients with bipolar disorder and major depression, 111
Armstrong, L., see Sanchez, D.J., 181
Assero, G., see Lupo, G., 185

Baghai, T.C., see Minov, C., 119
Ballard, C.G., see Singleton, A.B., 33
Bauer, J.A., see Pitre, D.A., 67
Bensaid, M., Faucheux, B.A., Hirsch, E., Agid, Y., Soubrié, P., Oury-Donat, F., Expression of tachykinin NK2 receptor mRNA in human brain, 25
Berger, S.Y., see Lee, H.J., 123
Blin, O., see Guillermain, Y., 29
Boer, P., Brosh, S., Wasserman, L., Hammel, I., Zoref-Shani, E., Sperling, O., Decelerated rate of dendrite outgrowth from dopaminergic neurons in primary cultures from brains of hypoxanthine phosphoribosyltransferase-deficient knockout mice, 45
Bom, I., see Fekkes, D., 145
Bondy, B., see Minov, C., 119
Bouisset, S., see Le Bozec, S., 72
Boyadjian, A., see Vuillerme, N., 83
Bridges, L.R., see Shukla, C., 193
Brosh, S., see Boer, P., 45
Brunelli, G.A., see Perani, D., 62
Buccellati, C., see Govoni, S., 91

Cairns, N., see Engidaworka, E., 79
Cecchini, T., see Cuppini, R., 198
Chardenon, A., see Temprado, J.J., 127
Chaudun, E., see Altairac, S., 41
Chesler, M., see MacGregor, D.G., 141
Ciaroni, S., see Cuppini, R., 198
Collier, D.A., see Arias, B., 111
Conway, B.A., see Knikou, M., 107
Costa-Cruz, R.R.G., Guedes, R.C.A., Cortical spreading depression during streptozotocin-induced hyperglycaemia in nutritionally normal and early-malnourished rats, 177
Courtois, Y., see Altairac, S., 41
Cui, L., see Zhang, Y., 157
Cui, X.-F., see Yoshida, H., 132
Cuppini, R., Ciaroni, S., Cecchini, T., Ambrogini, P., Ferri, P., Del Grande, P., Papa, S., α-Tocopherol controls cell proliferation in the adult rat dentate gyrus, 198

Daniele, A., see Masullo, C., 87
Danion, F., see Vuillerme, N., 83
de Jong, H.A.A., see Wubbels, R.J., 5
Del Grande, P., see Cuppini, R., 198
Desaki, J., see Wen, T.-C., 153
Deutch, A.Y., see Fadel, J., 17
Dobner, P.R., see Fadel, J., 17
Dong, W., Teraoka, H., Kondo, S., Hiraga, T., 2, 3, 7, 8-tetrachlorodibenzo-*p*-dioxin induces apoptosis in the dorsal midbrain of zebrafish embryos by activation of arylhydrocarbon receptor, 169

Edwardson, J.A., see Singleton, A.B., 33
Engidaworka, E., Gulesserian, T., Seidl, R., Cairns, N., Lubec, G., Expression of apoptosis related proteins in brains of patients with Alzheimer's disease, 79

Fadel, J., Dobner, P.R., Deutch, A.Y., The neurotensin antagonist SR 48692 attenuates haloperidol-induced striatal Fos expression in the rat, 17
Fañanás, L., see Arias, B., 111
Faucheux, B.A., see Bensaid, M., 25
Favalli, L., see Govoni, S., 91
Fazio, F., see Perani, D., 62
Fazio, V.M., see Masullo, C., 87
Fekkes, D., Tuiten, A., Bom, I., Pepplinkhuizen, L., Tryptophan: a precursor for the endogenous synthesis of norharman in man, 145
Ferri, P., see Cuppini, R., 198
Filippini, V., see Masullo, C., 87
Folco, G., see Govoni, S., 91
Fragassi, N., see Masullo, C., 87
Fujimoto, K., see Yoshida, H., 132

Gainotti, G., see Masullo, C., 87
Gastó, C., see Arias, B., 111
Gibson, A.M., see Singleton, A.B., 33
Govoni, S., Masoero, E., Favalli, L., Rozza, A., Scelsi, R., Viappiani, S., Buccellati, C., Sala, A., Folco, G., The Cycloxygenase-2 inhibitor SC58236 is neuroprotective in an in vivo model of focal ischemia in the rat, 91

PII: S0304-3940(01)01814-6

Gravina, C., see Masullo, C., 87
Grossi, D., see Masullo, C., 87
Guedes, R.C.A., see Costa-Cruz, R.R.G., 177
Guerrini, R., see Okawa, H., 173
Guillermain, Y., Micallef, J., Possamaï, C.-A., Blin, O., Hasbroucq, T., *N*-methyl-D-aspartate receptors and information processing: human choice reaction time under a subanaesthetic dose of ketamine, 29
Gulesserian, T., see Engidaworka, E., 79
Gutiérrez, B., see Arias, B., 111

Hammel, I., see Boer, P., 45
Harnack, D., see Meissner, W., 165
Haro, L., see Sanchez, D.J., 181
Hasbroucq, T., see Guillermain, Y., 29
Hasegawa, T., see Kano, Y., 21
Hata, R., see Wen, T.-C., 153
Hayama, T., Ogawa, H., Two loci of the insular cortex project to the taste zone of the nucleus of the solitary tract in rats, 49
Hicks, T.P., see Ito, K., 95
Hirabayashi, K., see Inoue, H., 149
Hiraga, T., see Dong, W., 169
Hiragami, F., see Kano, Y., 21
Hirsch, E., see Bensaid, M., 25

Imaizumi, T., see Yoshida, H., 132
Inoue, H., Shimoyama, Y., Hirabayashi, K., Kajigaya, H., Yamamoto, S., Oda, H., Koshihara, Y., Production of neuropeptide substance P by synovial fibroblasts from patients with rheumatoid arthritis and osteoarthritis, 149
Irnaten, M., Wang, J., Mendelowitz, D., Firing properties of identified superior laryngeal neurons in the nucleus ambiguus in the rat, 1
Ito, K., Hicks, T.P., Effect of the glycine modulatory site of the *N*-methyl-D-aspartate receptor on synaptic responses in kitten visual cortex, 95

Jadhao, A.G., Localization of molluscan cardioexcitatory tetrapeptide in the brain of African Cichlid fish (*Haplochromis burtoni*) revealed by immunocytochemistry, 103

Kajigaya, H., see Inoue, H., 149
Kano, Y., Nohno, T., Takahashi, R., Hasegawa, T., Hiragami, F., Kawamura, K., Motoda, H., Sugiyama, T., cAMP and calcium ionophore induce outgrowth of neuronal processes in PC12 mutant cells in which nerve growth factor-induced outgrowth of neuronal processes is impaired, 21
Kashiwa, A., see Murata, M., 99
Kawamura, K., see Kano, Y., 21
Kim, D.S.H.L., Park, S.-Y., Kim, J.-Y., Curcuminoids from *Curcuma longa* L. (Zingiberaceae) that protect PC12 rat pheochromocytoma and normal human umbilical vein endothelial cells from βA(1–42) insult, 57
Kim, J.J., see Lee, H.J., 123
Kim, J.-Y., see Kim, D.S.H.L., 57
Kimura, K., see Yoshida, H., 132
Knikou, M., Conway, B.A., Modulation of soleus H-reflex following ipsilateral mechanical loading of the sole of the foot in normal and complete spinal cord injured humans, 107
Kondo, S., see Dong, W., 169
Koshihara, Y., see Inoue, H., 149
Kudo, M., see Okawa, H., 173
Kudo, T., see Okawa, H., 173
Kumagai, M., see Yoshida, H., 132
Künzle, H., Radtke-Schuller, S., Oligosynaptic pathways possibly relaying visceral and/or gustatory information to the olfactory bulb in the hedgehog tenrec, 53
Kupsch, A., see Meissner, W., 165
Kurachi, M., see Murata, M., 99
Kushikata, T., see Okawa, H., 173

Lambert, D.G., see Okawa, H., 173
Laurent, M., see Temprado, J.J., 127
Le Bozec, S., Lesne, J., Bouisset, S., A sequence of postural muscle excitations precedes and accompanies isometric ramp efforts performed while sitting in human subjects, 72
Lee, H.J., Berger, S.Y., Stiedl, O., Spiess, J., Kim, J.J., Post-training injections of catecholaminergic drugs do not modulate fear conditioning in rats and mice, 123
Leone, M., see Masullo, C., 87
Lesne, J., see Le Bozec, S., 72
Levant, B., McCarson, K.E., D_3 dopamine receptors in rat spinal cord: implications for sensory and motor function, 9
Lubec, G., see Engidaworka, E., 79
Lupo, G., Anfuso, C.D., Assero, G., Strosznajder, R.P., Walski, M., Pluta, R., Alberghina, M., Amyloid β(1–42) and its β(25–35) fragment induce in vitro phosphatidylcholine hydrolysis in bovine retina capillary pericytes, 185

MacGregor, D.G., Chesler, M., Rice, M.E., HEPES prevents edema in rat brain slices, 141
Makhnev, V.P., see Aftanas, L.I., 115
Marin, L., see Vuillerme, N., 83
Martinez, A.O., see Sanchez, D.J., 181
Masoero, E., see Govoni, S., 91
Masullo, C., Daniele, A., Fazio, V.M., Seripa, D., Gravina, C., Filippini, V., Grossi, D., Fragassi, N., Nichelli, P., Leone, M., Gainotti, G., The Apolipoprotein E genotype in patients affected by syndromes with focal cortical atrophy, 87
Matsuki, A., see Okawa, H., 173
Matsumiya, T., see Yoshida, H., 132
Matsuo, N., see Yoshida, H., 132
Mattioli, R., see Santangelo, E.M., 137
McCarson, K.E., see Levant, B., 9
McKeith, I.G., see Singleton, A.B., 33
Meissner, W., Reum, T., Paul, G., Harnack, D., Sohr, R., Morgenstern, R., Kupsch, A., Striatal dopaminergic metabolism is increased by deep brain stimulation of the subthalamic nucleus in 6-hydroxydopamine lesioned rats, 165
Mendelowitz, D., see Irnaten, M., 1
Micallef, J., see Guillermain, Y., 29
Minov, C., Baghai, T.C., Schüle, C., Zwanzger, P., Schwarz, M.J., Zill, P., Rupprecht, R., Bondy, B., Serotonin-2A-receptor and -transporter polymorphisms: lack of association in patients with major depression, 119
Mitome, M., Shirakawa, T., Oshima, S., Nakamura, W., Oguchi, H., Circadian rhythm of nitric oxide production in the dorsal region of the suprachiasmatic nucleus in rats, 161
Morato, S., see Santangelo, E.M., 137
Morgenstern, R., see Meissner, W., 165
Morris, C.M., see Singleton, A.B., 33
Motoda, H., see Kano, Y., 21
Murata, M., Kashiwa, A., Oshima, A., Umino, A., Kurachi, M., Nishikawa, T., Nomifensine-induced c-fos mRNA expression in discrete brain areas of the developing rat, 99

Nakamura, W., see Mitome, M., 161

Nichelli, P., see Masullo, C., 87
Nishikawa, T., see Murata, M., 99
Noda, I., see Saito, T., 189
Nohno, T., see Kano, Y., 21
Nougier, V., see Vuillerme, N., 83

Oda, H., see Inoue, H., 149
Ogawa, H., see Hayama, T., 49
Oguchi, H., see Mitome, M., 161
Ohtsubo, T., see Saito, T., 189
Okawa, H., Kudo, M., Kudo, T., Guerrini, R., Lambert, D.G., Kushikata, T., Yoshida, H., Matsuki, A., Effects of nociceptinNH_2 and [$Nphe^1$]nociceptin(1–13)NH_2 on rat brain noradrenaline release in vivo and in vitro, 173
Oshima, A., see Murata, M., 99
Oshima, S., see Mitome, M., 161
Oury-Donat, F., see Bensaid, M., 25

Papa, S., see Cuppini, R., 198
Park, S.-Y., see Kim, D.S.H.L., 57
Paul, G., see Meissner, W., 165
Pavlov, S.V., see Aftanas, L.I., 115
Peng, H., see Wen, T.-C., 153
Pepplinkhuizen, L., see Fekkes, D., 145
Perani, D., Brunelli, G.A., Tettamanti, M., Scifo, P., Tecchio, F., Rossini, P.M., Fazio, F., Remodelling of sensorimotor maps in paraplegia: a functional magnetic resonance imaging study after a surgical nerve transfer, 62
Pintor, L., see Arias, B., 111
Pitre, D.A., Seifert, J.L., Bauer, J.A., Perineurium inflammation and altered connexin isoform expression in a rat model of diabetes related peripheral neuropathy, 67
Pluta, R., see Lupo, G., 185
Possamaï, C.-A., see Guillermain, Y., 29
Prieur, J.M., see Vuillerme, N., 83
Purnyn, H.E., see Voitenko, L.P., 37

Radtke-Schuller, S., see Künzle, H., 53
Reum, T., see Meissner, W., 165
Reva, N.V., see Aftanas, L.I., 115
Rice, M.E., see MacGregor, D.G., 141
Rossini, P.M., see Perani, D., 62
Rozza, A., see Govoni, S., 91
Rupprecht, R., see Minov, C., 119

Saito, H., see Saito, T., 189
Saito, T., Zhang, Z.J., Tokuriki, M., Ohtsubo, T., Noda, I., Shibamori, Y., Yamamoto, T., Saito, H., Expression of p-glycoprotein is associated with that of multidrug resistance protein 1 (MRP1) in the vestibular labyrinth and endolymphatic sac of the guinea pig, 189
Sakanaka, M., see Wen, T.-C., 153
Sala, A., see Govoni, S., 91
Sanchez, D.J., Armstrong, L., Aguilar, R., Adrian, G.S., Haro, L., Martinez, A.O., Haptoglobin gene expression in human glioblastoma cell lines, 181
Santangelo, E.M., Morato, S., Mattioli, R., Facilitatory effect of substance P on learning and memory in the inhibitory avoidance test for goldfish, 137
Satoh, K., see Yoshida, H., 132
Scelsi, R., see Govoni, S., 91
Schüle, C., see Minov, C., 119
Schwarz, M.J., see Minov, C., 119
Scifo, P., see Perani, D., 62
Seidl, R., see Engidaworka, E., 79
Seifert, J.L., see Pitre, D.A., 67
Seripa, D., see Masullo, C., 87
Shi, Y.-L., see Wang, Z.-F., 13
Shibamori, Y., see Saito, T., 189
Shibata, T., see Yoshida, H., 132
Shimoyama, Y., see Inoue, H., 149
Shirakawa, T., see Mitome, M., 161
Shukla, C., Bridges, L.R., Tau, β-amyloid and β-amyloid precursor protein distribution in the entorhinal-hippocampal alvear and perforant pathways in the Alzheimer's brain, 193
Singleton, A.B., Gibson, A.M., McKeith, I.G., Ballard, C.G., Edwardson, J.A., Morris, C.M., Nitric oxide synthase gene polymorphisms in Alzheimer's disease and dementia with Lewy bodies, 33
Skok, M.V., see Voitenko, L.P., 37
Skok, V.I., see Voitenko, L.P., 37
Sohr, R., see Meissner, W., 165
Soubrié, P., see Bensaid, M., 25
Sperling, O., see Boer, P., 45
Spiess, J., see Lee, H.J., 123
Stiedl, O., see Lee, H.J., 123
Strosznajder, R.P., see Lupo, G., 185
Sugiyama, T., see Kano, Y., 21

Takahashi, R., see Kano, Y., 21
Tamo, W., see Yoshida, H., 132
Tanji, K., see Yoshida, H., 132
Tecchio, F., see Perani, D., 62
Temprado, J.J., Chardenon, A., Laurent, M., Interplay of biomechanical and neuromuscular constraints on pattern stability and attentional demands in a bimanual coordination task in human subjects, 127
Teraoka, H., see Dong, W., 169
Tettamanti, M., see Perani, D., 62
Tian, S., see Zhang, Y., 157
Tokuriki, M., see Saito, T., 189
Torriglia, A., see Altairac, S., 41
Tuiten, A., see Fekkes, D., 145

Umino, A., see Murata, M., 99

Vallès, V., see Arias, B., 111
Varlamov, A.A., see Aftanas, L.I., 115
Viappiani, S., see Govoni, S., 91
Voitenko, L.P., Voitenko, S.V., Skok, M.V., Purnyn, H.E., Skok, V.I., Nicotinic acetylcholine receptor subtypes in rat superior cervical ganglion neurons as studied by sequential application of two α-subunit-specific antibodies, 37
Voitenko, S.V., see Voitenko, L.P., 37
Vuillerme, N., Danion, F., Marin, L., Boyadjian, A., Prieur, J.M., Weise, I., Nougier, V., The effect of expertise in gymnastics on postural control, 83

Walski, M., see Lupo, G., 185
Wang, D., see Zhang, Y., 157
Wang, H., see Zhang, Y., 157
Wang, J., see Irnaten, M., 1
Wang, Y., see Zhang, Y., 157
Wang, Z.-F., Shi, Y.-L., Toosendanin-induced inhibition of small-conduc-

tance calcium-activated potassium channels in CA1 pyramidal neurons of rat hippocampus, 13
Wasserman, L., see Boer, P., 45
Weise, I., see Vuillerme, N., 83
Wen, T.-C., Peng, H., Hata, R., Desaki, J., Sakanaka, M., Induction of phosphorylated-Stat3 following focal cerebral ischemia in mice, 153
Wubbels, R.J., de Jong, H.A.A., The horizontal vestibulo-ocular reflex of hypergravity rat at different gravity levels, 5

Yamamoto, S., see Inoue, H., 149
Yamamoto, T., see Saito, T., 189
Yoshida, H., Imaizumi, T., Fujimoto, K., Matsuo, N., Kimura, K., Cui, X.-F., Matsumiya, T., Tanji, K., Shibata, T., Tamo, W., Kumagai, M., Satoh, K., Synergistic stimulation, by tumor necrosis factor-α and interferon-γ, of fractalkine expression in human astrocytes, 132
Yoshida, H., see Okawa, H., 173

Zhang, Y., Wang, Y., Wang, H., Cui, L., Tian, S., Wang, D., Different processes are involved in human brain for shape and face comparisons, 157
Zhang, Z.J., see Saito, T., 189
Zill, P., see Minov, C., 119
Zoref-Shani, E., see Boer, P., 45
Zwanzger, P., see Minov, C., 119